Volume 170 1987/1988

FEBS

European Journal of Biochemistry

Honorary Chairman
Frederick Sanger (Cambridge)

Managing Editors
Giorgio Bernardi (Paris), Philipp Christen (Zürich), Michael J. Clemens (London), S. P. Datta (London), Eberhard Hofmann (Leipzig) *reviews editor*, Louis Hue (Bruxelles), Pierre Jollès (Paris), Claude Liébecq (Liège) *senior managing editor*, Walter Neupert (München), David G. Nicholls (Dundee), and Cees Veeger (Wageningen)

Editorial-Advisory Board
R. Arnon (Rehovot), S. Avrameas (Paris), B. E. C. Banks (London), A. Bernardi (Gif-sur-Yvette), H. Betz (Heidelberg), T. A. Bickle (Basel), J. Bremer (Oslo), A. Cornish-Bowden (Marseille), R. Cortese (Heidelberg), C. Crane-Robinson (Portsmouth), M. Crompton (London), J. Demaille (Montpellier), L. B. Dolapchiev (Sofiya), J. O. Dolly (London), H. Durchschlag (Regensburg), J. Duszynski (Warszawa), H. Eisenberg (Rehovot), H. Fasold (Frankfurt), J. Filipski (Paris), J. Finne (Kuopio), A. Fontana (Padova), F. Franěk (Praha), D. C. Gallwitz (Göttingen), G. P. Georgiev (Moskva), S. Ghisla (Konstanz), F. Goñi (Bilbao), H. Grosjean (Rhode-St-Genèse), D. G. Hardie (Dundee), D. H. Hayes (Paris), C.-H. Heldin (Uppsala), F. W. Hemming (Nottingham), A. Henschen-Edman (Martinsried), H. Hilz (Hamburg), F. Hofmann (Homburg), F. Hucho (Berlin), M. Jacob (Strasbourg), K. H. Jakobs (Heidelberg), H. Jörnvall (Stockholm), K. Jungermann (Göttingen), M. Klingenberg (München), W. N. Konings (Haren), R. Kraayenhof (Amsterdam), G. Kreil (Salzburg), L. Lehle (Regensburg), J.-M. Lhoste (Orsay), K. Martinek (Praha), M. Monsigny (Orléans), A. Paraf (Monnaie), I. Pecht (Rehovot), G. Pettersson (Lund), L. A. Pinna (Padova), A. Puigserver (Marseille), T. A. Rapoport (Berlin), J. G. Reich (Berlin), J. Rétey (Karlsruhe), J. Ricard (Marseille), E. Rickli (Bern), H. Rüterjans (Frankfurt), M. V. Saraste (Helsinki), M. C. Scrutton (London), V. Sgaramella (Pavia), A. E. Sippel (Heidelberg), V. P. Skulachev (Moskva), C. Sluse-Goffart (Liège), J. M. Tager (Amsterdam), I. P. Trayer (Birmingham), V. Ullrich (Konstanz), P. Venetianer (Szeged), A. Verbert (Villeneuve-d'Ascq), P. V. Vignais (Grenoble), J. F. G. Vliegenthart (Utrecht), K. von Figura (Göttingen), R. J. P. Williams (Oxford), K. W. A. Wirtz (Utrecht), A. V. Xavier (Lisboa), W. Zillig (Martinsried), H. Zuber (Zürich)

Published by Springer International
on behalf of the Federation of European Biochemical Societies

The exclusive copyright for all languages and countries, including the rights for photographic reproduction, electronic data base, video disks, or any other reproduction of text, figures, or tables from this journal, also in microform, is vested in the Federation of European Biochemical Societies.

The use of general descriptive names, trade names, trade marks, etc., in this publication, even if the former are not specifically identified, is not to be interpreted that such names are exempt from the relevant protective laws and regulations and may accordingly be used freely by anyone.

Individuals may reproduce material published in this journal when writing a review or book as long as they make proper acknowledgement to the origin of the material and obtain the author(s)' permission if this condition applies.

Springer Verlag · Berlin · Heidelberg · New York

Printers: Wiesbadener Graphische Betriebe GmbH, Wiesbaden

Printed in Germany

Copyright © by the Federation of European Biochemical Societies 1987/1988

Volume 170 1987/1988

Table of contents

No. 1/2 1–498 issued on December 30, 1987
No. 3 499–740 issued on January 4, 1988

Author and Keyword Index Volumes 161–170, 1986–1988 669–740

Corrections 667

Acknowledgement to Referees 1– 5

Newsletter 1988 of the Nomenclature Committee of IUB (NC-IUB) and of the IUPAC-IUB Joint Commission on Biochemical Nomenclature (JCBN) 7– 9

Review

Modes of attachment of acetylcholinesterase to the surface membrane
I. Silman and A. H. Futerman 11– 22

Nucleic acids, protein synthesis, and molecular genetics

A new type of prosome-like particle, composed of small cytoplasmic RNA and multimers of a 21-kDa protein, inhibits protein synthesis *in vitro*
O. Akhayat, A. A. Infante, D. Infante, C. Martins de Sa, M.-F. Grossi de Sa and K. Scherrer 23– 33

Characterization of a casein kinase which interacts with the rabbit progesterone receptor – Differences with the *in vivo* hormone-dependent phosphorylation
F. Logeat, M. Le Cunff, M. Rauch, S. Brailly and E. Milgrom 51– 57

Translation of an mRNA in rat L6 muscle cells is regulated within the cell cycle
S. K. Pramanik and J. Bag 59– 67

Increased efficiency of translation of ornithine decarboxylase mRNA in mitogen-activated lymphocytes
M. W. White, T. Kameji, A. E. Pegg and D. R. Morris 87– 92

Molecular cloning and sequence determination of the *tuf* gene coding for the elongation factor Tu of *Thermus thermophilus* HB8
A. Kushiro, M. Shimizu and K. Tomita 93– 98

Rabbit apolipoprotein A-I mRNA and gene – Evidence that rabbit apolipoprotein A-I is synthesized in the intestine but not in the liver
T. Pan, Q. Hao, T.-T. Yamin, P.-H. Dai, B. Chen, S. Chen, P. A. Kroon and Y. Chao 99–104

Catalase gene of the yeast *Candida tropicalis* – Sequence analysis and comparison with peroxisomal and cytosolic catalases from other sources
H. Okada, M. Ueda, T. Sugaya, H. Atomi, S. Mozaffar, T. Hishida, Y. Teranishi, K. Okazaki, T. Takechi, T. Kamiryo and A. Tanaka 105–110

Human 27-kDa calbindin complementary DNA sequence – Evolutionary and functional implications
M. Parmentier, D. E. M. Lawson and G. Vassart 207–215

Influence of different 5'-flanking sequences of tRNA genes on their *in vivo* transcription efficiencies in *Saccharomyces cerevisiae*
T. Dingermann, K. Nerke and R. Marschalek 217–224

An NMR study of polymorphous behaviour of the mismatched DNA octamer d(m^5C-G-m^5C-G-A-G-m^5C-G) in solution – The B-duplex and hairpin forms
L. P. M. Orbons, G. A. van der Marel, J. H. van Boom and C. Altona 225–239

Secretion of biologically active porcine prophospholipase A_2 by *Saccharomyces cerevisiae* – Use of the prepro sequence of the α-mating factor
C. J. Van den Bergh, A. C. A. P. A. Bekkers, P. De Geus, H. M. Verheij and G. H. De Haas 241–246

Prediction of 'hot spots' in SV40 enhancer and relation with experimental data
I. Ćosić and D. Nesic 247–252

Tyrocidine-induced modulation of the DNA conformation in *Bacillus brevis*
A. Bohg and H. Ristow 253–258

The nucleotide sequence of the *nifM* gene of *Klebsiella pneumoniae* and identification of a new *nif* gene: *nifZ*
W. Paul and M. Merrick 259–265

Complexes of DNA hairpins and a single-stranded oligonucleotide detected by affinity chromatography and mung bean nuclease cleavage
U. Baumann, U. Lehmann, K. Schwellnus, J. H. van Boom and H. Kuhn 267–272

Purification and characterization of peptide-elongation factor 2 (aEF-2) from an extremely halophilic archaebacterium *Halobacterium halobium*
H. Saruyama and S. Sasaki 499–505

Nucleotide sequence and linkage map position of the genes for ribosomal proteins L14 and S8 in the maize chloroplast genome
U. Markmann-Mulisch and A. R. Subramanian 507–514

cDNAs for canavalin and concanavalin A from *Canavalia gladiata* seeds – Nucleotide sequence of cDNA for canavalin and RNA blot analysis of canavalin and concanavalin A mRNAs in developing seeds
D. Yamauchi, K. Nakamura, T. Asahi and T. Minamikawa 515–520

Protein chemistry and structure

Stimulation of the erythrocyte Ca^{2+}-ATPase and of bovine brain cyclic nucleotide phosphodiesterase by chemically modified calmodulin
D. Guerini, J. Krebs and E. Carafoli 35–42

Isolation, characterization and amino-acid sequence of γ-seminoprotein, a glycoprotein from human seminal plasma
J. Schaller, K. Akiyama, R. Tsuda, M. Hara, T. Marti and E. E. Rickli 111–120

Heterogeneity of insulin-like growth factor binding proteins and relationships between structure and affinity — 1. Circulating forms in man
S. Hardouin, P. Hossenlopp, B. Segovia, D. Seurin, G. Portolan, C. Lassarre and M. Binoux 121–132

Heterogeneity of insulin-like growth factor binding proteins and relationships between structure and affinity — 2. Forms released by human and rat liver in culture
P. Hossenlopp, D. Seurin, B. Segovia, G. Portolan and M. Binoux 133–142

Structural relationship between α_1-microglobulin from man, guinea-pig, rat and rabbit
B. Åkerström, L. Lögdberg, H. Babiker-Mohamed, S. Lohmander and L. Rask 143–148

Semi-preparative HPLC purification of ribosomal proteins from *Bacillus stearothermophilus* and sequence determination of the highly conserved protein S19
H. Hirano, K. Eckart, M. Kimura and B. Wittmann-Liebold 149–157

Interactions of actin and tubulin with human deoxyhemoglobin — Their possible occurrence within erythrocytes
I. Lebbar, F. Stetzkowski-Marden, O. Mauffert and R. Cassoly 273–277

^{1}H-NMR sequential assignments and cation-binding studies of spinach plastocyanin
P. C. Driscoll, H. A. O. Hill and C. Redfield 279–292

Alkylamine derivatives of cytochrome *c* — Comparison with other lysine-modified analogues illuminates structure/function relations in the protein
C. J. A. Wallace and B. E. Corthésy 293–298

Purification and comparison of two forms of *S*-adenosyl-L-methionine synthetase from rat liver
C. Cabrero, J. Puerta and S. Alemany 299–304

The function of the human factor V carbohydrate moiety in blood coagulation
T. Bruin, A. Sturk, J. W. Ten Cate and M. Cath 305–310

Human factor VIII from heparinized plasma — Purification and characterization of a single-chain form
P. R. Ganz, E. S. Tackaberry, D. S. Palmer and G. Rock 521–528

NMR analysis of the interdomain region of yeast phosphoglycerate kinase
H. R. Wilson, R. J. P. Williams, J. A. Littlechild and H. C. Watson 529–538

Two-dimensional ^{1}H-NMR studies of the solution structure of plasminogen kringle 4
B. C. Mabbutt and R. J. P. Williams 539–548

Analysis of the aliphatic ^{1}H-NMR spectrum of plasminogen kringle 4 — A comparative study of human, porcine, bovine and chicken homologs
A. M. Petros, M. Gyenes, L. Patthy and M. Llinás 549–563

Interactions of fatty acids with neutral fatty-acid-binding protein from bovine liver
H. Schulenberg-Schell, P. Schäfer, H. J. K. Keuper, B. Stanislawski, E. Hoffmann, H. Rüterjans and F. Spener 565–574

Studies of the cellulolytic system of *Trichoderma reesei* QM 9414 — Analysis of domain function in two cellobiohydrolases by limited proteolysis
P. Tomme, H. Van Tilbeurgh, G. Pettersson, J. Van Damme, J. Vandekerckhove, J. Knowles, T. Teeri and M. Claeyssens 575–581

Characterization of the actin polymerization-inhibiting protein from chicken gizzard smooth muscle
K. Ruhnau, E. Schröer and A. Wegner 583–587

Reconstitution of myoglobin from apoprotein and heme, monitored by stopped-flow absorption, fluorescence and circular dichroism
Y. Kawamura-Konishi, H. Kihara and H. Suzuki 589–595

The primary structure of the basic isoform of *Acanthamoeba* profilin
C. Ampe, M. Sato, T. D. Pollard and J. Vandekerckhove 597–601

Enzymology

Purification of a new acidic glutathione *S*-transferase, GST-Yn_1Yn_1, with a high leukotriene-C_4 synthase activity from rat brain
S. Tsuchida, T. Izumi, T. Shimizu, T. Ishikawa, I. Hatayama, K. Satoh and K. Sato 159–164

A synthetic functional metabolic compartment — The role of propinquity in a linked pair of immobilized enzymes
E. T. Fossel and H. Hoefeler 165–171

Microquantitative determination of intra-acinar distribution profiles of low-K_m and high-K_m aldehyde dehydrogenase activity in rat liver
I. P. Maly and D. Sasse 173–178

A kinetic method for distinguishing whether an enzyme has one or two active sites for two different substrates — Rat liver L-threonine dehydratase has a single active site for threonine and serine
T. Keleti, R. Leoncini, R. Pagani and E. Marinello 179–183

Transamination catalysed by tyrosine phenol-lyase from *Citrobacter intermedius*
T. V. Demidkina, I. V. Myagkikh and A. V. Azhayev 311–316

Isolation and characterization of basic superoxide dismutase consisting of M_r-25000 subunits in rat liver
T. Ishikawa, A. R. Hunaiti, G. Piechot and B. Wolf 317–323

Characterization of two D-glyceraldehyde-3-phosphate dehydrogenases from the extremely thermophilic archaebacterium *Thermoproteus tenax*
R. Hensel, S. Laumann, J. Lang, H. Heumann and F. Lottspeich 325–333

The role of the N-terminus of the large subunit of ribulose-bisphosphate carboxylase investigated by construction and expression of chimaeric genes
C. A. Kettleborough, M. A. J. Parry, S. Burton, S. Gutteridge, A. J. Keys and A. L. Phillips 335–342

Phenol hydroxylase from yeast — A model for phenol binding and an improved purification procedure
T. Sejlitz and H. Y. Neujahr 343–349

Chemical modification of phenol hydroxylase by ethoxyformic anhydride
T. Sejlitz and H. Y. Neujahr 351–356

Ribonucleotide reductase of *Brevibacterium ammoniagenes* is a manganese enzyme
A. Willing, H. Follmann and G. Auling 603–611

Carbohydrates, lipids and other natural products

Isolation and characterization of three different carbohydrate chains from melanoma tissue plasminogen activator
G. Pohl, L. Kenne, B. Nilsson and M. Einarsson 69– 75

Structure of the capsular polysaccharide of *Haemophilus pleuropneumoniae* serotype 5
E. Altman, J.- R. Brisson and M. B. Perry 185–192

Structure of the sidechain of lipopolysaccharide from *Erwinia amylovora* T
T. C. Ray, A. R. W. Smith, R. Wait and R. C. Hignett 357–361

Characterization and partial purification of a novel mannosylphosphodolichol phosphodiesterase from chicken liver microsomes
Y. Tomita and Y. Motokawa 363–368

Primary structure of the glycans of porcine pancreatic lipase
B. Fournet, Y. Leroy, J. Montreuil, J. Děcaro, M. Rovery, J. A. Van Kuik and J. F. G. Vliegenthart 369–371

Biosynthesis of monoterpene hydrocarbons by isolated chromoplasts from daffodil flowers
U. Mettal, W. Boland, P. Beyer and H. Kleinig 613–616

Physical biochemistry

Influence of the protonation degree on the self-association properties of adenosine 5'-triphosphate (ATP)
R. Tribolet and H. Sigel 617–626

Membranes and bioenergetics

Isolation and characterization of a human calcitonin-gene-related-peptide receptor
S. M. Foord and R. K. Craig 373–379

Protein kinase C potentiates isoproterenol-mediated cyclic AMP production without modifying the homologous desensitization process in J774 cells
A.-M. Chambaut-Guerin and P. Thomopoulos 381–387

Isolation and characterization of 9-hydroxy-10-*trans*,12-*cis*-octadecadienoic acid, a novel regulator of platelet adenylate cyclase from *Glechoma hederacea* L. Labiatae
D. Y. Henry, F. Gueritte-Voegelein, P. A. Insel, N. Ferry, J. Bouguet, P. Potier, T. Sevenet and J. Hanoune 389–394

Relations between plasma membrane and lysosomal membrane — 1. Fate of covalently labelled plasma membrane protein
J.-P. Draye, J. Quintart, P. J. Courtoy and P. Baudhuin 395–403

Relations between plasma membrane and lysosomal membrane — 2. Quantitative evaluation of plasma membrane marker enzymes in the lysosomes
J.-P. Draye, P. J. Courtoy, J. Quintart and P. Baudhuin 405–411

Binding of alkaline-earth metal cations and some anions to phosphatidylcholine liposomes
S. A. Tatulian 413–420

Effect of phospholipid, detergent and protein-protein interaction on stability and phosphoenzyme isomerization of soluble sarcoplasmic reticulum Ca-ATPase
B. Vilsen and J. P. Andersen 421–429

F_0 part of the ATP synthase from *Escherichia coli* — Influence of subunits *a*, and *b*, on the structure of subunit *c*
K. Steffens, J. Hoppe and K. Altendorf 627–630

Ca^{2+} and Mg^{2+} as modulators of mitochondrial L-glycerol-3-phosphate dehydrogenase
Z. Beleznai, L. Szalay and V. Jancsik 631–636

ATP4, the structural gene for yeast F_0F_1 ATPase subunit 4
J. Velours, P. Durrens, M. Aigle and B. Guérin 637–642

Cellular biochemistry and metabolism

Properties of the Na^+-dependent Cl^-/HCO_3^- exchange system in U937 human leukemic cells
A. Ladoux, I. Krawice, E. J. Cragoe Jr, J. P. Abita and C. Frelin 43– 49

ω-Oxidation of cysteine-containing leukotrienes by rat-liver microsomes — Isolation and characterization of ω-hydroxy and ω-carboxy metabolites of leukotriene E_4 and *N*-acetylleukotriene E_4
L. Örning 77– 85

Intracellular mechanism of action of sympathetic hepatic nerves on glucose and lactate balance in perfused rat liver
C. Ballé, U. Beuers, R. Engelhardt and K. Jungermann 193–199

Prostaglandin release but not superoxide production by rat Kupffer cells stimulated *in* vitro depend on Na^+/H^+ exchange
P. Dieter, A. Schulze-Specking, U. Karck and K. Decker 201–206

Atrial peptide inactivation by rabbit-kidney brush-border membranes
G. M. Olins, K. L. Spear, N. R. Siegel, E. J. Reinhard and H. A. Zurcher-Neely 431–434

Iodide-induced inhibition of adenylate cyclase activity in horse and dog thyroid
P. Cochaux, J. Van Sande, S. Swillens and J. E. Dumont 435–442

Ester composition of carnitine in the perfusate of liver and in the plasma of donor rats
A. Sandor, G. Kispal, B. Melegh and I. Alkonyi 443–445

Fructose metabolism via the pentose cycle in tumoral islet cells
A. Sener, F. Malaisse-Lagae and W. J. Malaisse 447–452

Extracellular origin of the lipid lysosomal storage in cultured fibroblasts from Wolman's disease
R. Salvayre, A. Negre, A. Maret, J. Radom and L. Douste-Blazy 453–458

Biosynthesis of coenzyme F430 in methanogenic bacteria — Identification of 15,17^3-seco-F430-17^3-acid as an intermediate
A. Pfaltz, A. Kobelt, R. Hüster and R. K. Thauer 459–467

Effects of insulin and norepinephrine on glucose transport and metabolism in rat brown adipocytes — Potentiation by insulin of norepinephrine-induced glucose oxidation
S. Ebner, A.-F. Burnol, P. Ferre, M.-A. De Saintaurin and J. Girard 469–474

Metabolism of the vitamin D_3 derivative (24*R*)-hydroxycalcidiol by human promyelocytic leukemia cells (HL-60) — Isolation and identification of (5*Z*) and (5*E*)-(24*R*)-19-nor-10-oxo-24-hydroxycalcidiol
S. Ishizuka, T. Matsui, Y. Nakao, T. Fujita, H. Reichel and A. W. Norman 475–483

Purification and characterization of a 22-kDa microsomal protein from rat parotid gland which is phosphorylated following stimulation by agonists involving cAMP as second messenger
G. Thiel, W. E. Schmidt, H. E. Meyer and H.-D. Söling 643–651

Elicitor-induced tyrosine decarboxylase in berberine-synthesizing suspension cultures of *Thalictrum rugosum*
K. Gügler, C. Funk and P. Brodelius 661–666

Developmental biochemistry and immunology

Cell-wall lytic enzymes (autolysins) of *Chlamydomonas reinhardtii* are (hydroxy)proline-specific proteases
L. Jaenicke, W. Kuhne, R. Spessert, U. Wahle and S. Waffenschmidt 485–491

Developmental changes in rat hepatic casein kinases 1 and 2
M. Perez, J. Grande and E. Itarte 493–498

Purification in large scale and characterization of the human leukocyte adhesion glycoprotein GP90 (CD18)
C. Kantor, H. Suomalainen-Nevanlinna, M. Patarroyo, K. Österlund, T. Bergman, H. Jörnvall, J. Schröder and C. G. Gahmberg 653–659

Indexed in *Current Contents*